

Table 2.52C Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	882	927	838	859	780	816
GEOGRAPHIC DIVISION						
Northeast	359	409	325	378	302	344
New England	182	198	147	172	133	154
Middle Atlantic	307	357	287	337	270	305
Midwest	329	332	362	342	344	327
East North Central	277	274	292	281	274	269
West North Central	180	186	204	198	198	192
South	561	560	567	513	533	497
South Atlantic	436	427	421	405	406	384
East South Central	221	208	202	208	187	210
West South Central	292	297	288	260	266	256
West	472	510	417	426	391	403
Mountain	196	227	206	195	206	191
Pacific	430	454	363	376	334	348
COUNTY TYPE						
Large Metro	1,530	1,498	777	767	705	697
Small Metro	1,159	1,145	598	543	550	490
250K – 1 Mil. Pop.	937	935	456	424	421	393
< 250K Pop.	698	737	369	364	341	323
Nonmetro	856	764	443	441	401	421
Urbanized	674	492	286	277	266	266
Less Urbanized	628	641	334	337	296	313
Completely Rural	317	274	134	144	114	136

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 2.52D Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2010 and 2011

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	0.35	0.36	0.33	0.33	0.31	0.32
GEOGRAPHIC DIVISION						
Northeast	0.77	0.87	0.70	0.81	0.65	0.73
New England	1.48	1.61	1.20	1.39	1.09	1.25
Middle Atlantic	0.90	1.03	0.84	0.97	0.79	0.88
Midwest	0.60	0.60	0.65	0.61	0.62	0.59
East North Central	0.72	0.71	0.76	0.73	0.71	0.69
West North Central	1.07	1.09	1.21	1.17	1.18	1.13
South	0.60	0.59	0.61	0.54	0.57	0.52
South Atlantic	0.89	0.85	0.86	0.81	0.83	0.76
East South Central	1.47	1.36	1.34	1.36	1.24	1.37
West South Central	1.01	1.00	1.00	0.88	0.92	0.86
West	0.80	0.85	0.71	0.71	0.67	0.67
Mountain	1.08	1.25	1.14	1.07	1.14	1.05
Pacific	1.05	1.09	0.89	0.90	0.82	0.84
COUNTY TYPE						
Large Metro	0.51	0.54	0.47	0.48	0.44	0.44
Small Metro	0.61	0.58	0.61	0.55	0.58	0.53
250K – 1 Mil. Pop.	0.75	0.76	0.70	0.69	0.68	0.67
< 250K Pop.	1.06	0.95	1.11	0.94	1.06	0.90
Nonmetro	0.76	0.77	0.78	0.78	0.74	0.78
Urbanized	1.17	1.23	1.17	1.17	1.14	1.17
Less Urbanized	1.15	1.06	1.16	1.20	1.08	1.16
Completely Rural	2.41	1.99	2.47	2.16	2.11	2.16

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 2.52P Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 or Older, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	0.0028		0.0321		0.0308	
GEOGRAPHIC DIVISION						
Northeast	0.0068		0.9854		0.8407	
New England	0.2456		0.9127		0.8545	
Middle Atlantic	0.0131		0.9359		0.8943	
Midwest	0.1552		0.2768		0.4709	
East North Central	0.0579		0.5132		0.9916	
West North Central	0.8734		0.3270		0.2235	
South	0.2711		0.2354		0.2186	
South Atlantic	0.6742		0.2850		0.1514	
East South Central	0.9030		0.8729		0.9650	
West South Central	0.1394		0.5651		0.7961	
West	0.2436		0.0538		0.0400	
Mountain	0.0893		0.4396		0.3279	
Pacific	0.6309		0.0814		0.0752	
COUNTY TYPE						
Large Metro	0.0005		0.0336		0.0236	
Small Metro	0.3808		0.2830		0.3102	
250K – 1 Mil. Pop.	0.2072		0.5612		0.5785	
< 250K Pop.	0.7679		0.3117		0.3465	
Nonmetro	0.0788		0.8232		0.7813	
Urbanized	0.0080		0.7446		0.8224	
Less Urbanized	0.8437		0.4770		0.5301	
Completely Rural	0.6606		0.0630		0.0309	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 2.53C Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	96	92	82	77	63	60
GEOGRAPHIC DIVISION						
Northeast	34	38	29	33	24	25
New England	14	17	13	16	11	13
Middle Atlantic	31	34	26	28	21	21
Midwest	34	35	31	29	25	26
East North Central	28	29	25	24	19	20
West North Central	20	21	18	17	16	15
South	64	57	54	46	43	34
South Atlantic	49	41	42	34	36	25
East South Central	21	20	18	16	14	14
West South Central	33	33	28	27	19	20
West	51	48	45	40	31	30
Mountain	24	22	21	18	16	14
Pacific	45	43	39	36	27	27
COUNTY TYPE						
Large Metro	84	75	71	60	51	46
Small Metro	62	62	48	49	33	36
250K – 1 Mil. Pop.	51	52	40	42	28	30
< 250K Pop.	36	36	28	26	18	21
Nonmetro	47	46	38	34	31	25
Urbanized	29	30	22	23	18	16
Less Urbanized	39	34	31	24	25	19
Completely Rural	10	15	9	12	8	9

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 2.53D Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: Standard Errors of Percentages, 2010 and 2011

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	0.39	0.37	0.34	0.31	0.26	0.24
GEOGRAPHIC DIVISION						
Northeast	0.80	0.90	0.69	0.76	0.56	0.59
New England	1.27	1.53	1.18	1.46	1.02	1.20
Middle Atlantic	0.98	1.08	0.84	0.89	0.66	0.67
Midwest	0.64	0.65	0.58	0.53	0.47	0.47
East North Central	0.74	0.76	0.67	0.64	0.51	0.53
West North Central	1.24	1.30	1.12	1.06	0.99	0.94
South	0.71	0.61	0.60	0.50	0.48	0.36
South Atlantic	1.09	0.89	0.93	0.74	0.80	0.53
East South Central	1.47	1.36	1.24	1.10	0.97	0.94
West South Central	1.10	1.04	0.92	0.84	0.62	0.63
West	0.88	0.81	0.77	0.67	0.54	0.50
Mountain	1.33	1.19	1.18	1.00	0.90	0.75
Pacific	1.12	1.04	0.98	0.87	0.66	0.65
COUNTY TYPE						
Large Metro	0.56	0.49	0.48	0.41	0.36	0.32
Small Metro	0.64	0.66	0.53	0.55	0.42	0.42
250K – 1 Mil. Pop.	0.79	0.82	0.68	0.69	0.53	0.51
< 250K Pop.	1.12	1.14	0.91	0.88	0.69	0.72
Nonmetro	0.90	0.95	0.82	0.75	0.74	0.62
Urbanized	1.17	1.28	1.02	1.05	0.88	0.87
Less Urbanized	1.43	1.50	1.32	1.19	1.22	0.95
Completely Rural	2.65	3.05	2.46	2.45	2.20	2.06

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 2.53P Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 12 to 17, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	0.0108		0.0199		0.0785	
GEOGRAPHIC DIVISION						
Northeast	0.2230		0.8592		0.6755	
New England	0.5536		0.9736		0.6628	
Middle Atlantic	0.2831		0.8509		0.8201	
Midwest	0.4244		0.0595		0.0959	
East North Central	0.4136		0.0559		0.1266	
West North Central	0.8148		0.6225		0.4378	
South	0.0128		0.0346		0.2516	
South Atlantic	0.0265		0.1405		0.2866	
East South Central	0.3678		0.9881		0.6252	
West South Central	0.3935		0.0708		0.3813	
West	0.6870		0.6636		0.2693	
Mountain	0.1749		0.2980		0.0579	
Pacific	0.8270		0.9708		0.8330	
COUNTY TYPE						
Large Metro	0.0288		0.0219		0.0316	
Small Metro	0.1046		0.2758		0.8320	
250K – 1 Mil. Pop.	0.0359		0.0973		0.5913	
< 250K Pop.	0.7217		0.5124		0.2078	
Nonmetro	0.7708		0.8789		0.5077	
Urbanized	0.5296		0.1225		0.3029	
Less Urbanized	0.3239		0.2053		0.2232	
Completely Rural	0.4362		0.8873		0.3871	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 2.54C Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	171	169	169	173	160	162
GEOGRAPHIC DIVISION						
Northeast	68	71	69	70	65	65
New England	31	32	35	30	33	28
Middle Atlantic	60	63	59	63	55	59
Midwest	66	66	63	72	64	72
East North Central	54	57	51	62	52	60
West North Central	35	33	36	36	37	40
South	113	103	111	101	105	96
South Atlantic	90	75	86	76	80	75
East South Central	36	36	34	37	34	37
West South Central	55	57	59	54	57	45
West	87	91	94	95	87	90
Mountain	37	39	37	40	36	42
Pacific	79	83	87	85	80	78
COUNTY TYPE						
Large Metro	261	262	201	200	170	173
Small Metro	207	229	150	172	123	134
250K – 1 Mil. Pop.	152	148	108	112	92	96
< 250K Pop.	141	177	104	133	82	96
Nonmetro	129	121	106	99	94	86
Urbanized	91	89	71	74	64	64
Less Urbanized	95	83	80	64	68	56
Completely Rural	35	37	27	32	26	30

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 2.54D Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: Standard Errors of Percentages, 2010 and 2011

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	0.50	0.49	0.50	0.50	0.47	0.47
GEOGRAPHIC DIVISION						
Northeast	1.12	1.15	1.14	1.14	1.07	1.06
New England	1.93	2.01	2.14	1.85	2.03	1.72
Middle Atlantic	1.36	1.39	1.34	1.40	1.25	1.31
Midwest	0.88	0.90	0.84	0.98	0.85	0.98
East North Central	1.06	1.12	0.98	1.22	1.01	1.18
West North Central	1.48	1.45	1.54	1.56	1.55	1.77
South	0.91	0.82	0.90	0.80	0.85	0.76
South Atlantic	1.42	1.16	1.36	1.18	1.27	1.16
East South Central	1.81	1.78	1.73	1.82	1.70	1.85
West South Central	1.35	1.37	1.43	1.31	1.39	1.09
West	1.08	1.11	1.16	1.15	1.07	1.09
Mountain	1.49	1.58	1.49	1.62	1.45	1.70
Pacific	1.41	1.44	1.55	1.48	1.42	1.36
COUNTY TYPE						
Large Metro	0.73	0.70	0.69	0.71	0.65	0.66
Small Metro	0.92	0.82	0.93	0.82	0.88	0.80
250K – 1 Mil. Pop.	1.07	1.01	1.17	1.03	1.13	0.99
< 250K Pop.	1.57	1.35	1.40	1.32	1.35	1.31
Nonmetro	0.96	1.04	1.09	1.21	1.10	1.15
Urbanized	1.55	1.47	1.60	1.88	1.66	1.71
Less Urbanized	1.34	1.58	1.67	1.61	1.62	1.58
Completely Rural	3.60	3.93	3.13	4.64	3.46	4.98

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 2.54P Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 to 25, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	0.0523		0.1710		0.1714	
GEOGRAPHIC DIVISION						
Northeast	0.0788		0.3988		0.3885	
New England	0.0659		0.1447		0.1085	
Middle Atlantic	0.3275		0.8500		0.8984	
Midwest	0.0967		0.4304		0.4043	
East North Central	0.2187		0.3095		0.4539	
West North Central	0.2329		0.9092		0.6994	
South	0.3732		0.2218		0.1378	
South Atlantic	0.6327		0.2468		0.1039	
East South Central	0.2999		0.3838		0.3171	
West South Central	0.0926		0.2419		0.2595	
West	0.9638		0.9274		0.6612	
Mountain	0.9717		0.3722		0.2105	
Pacific	0.9821		0.7943		0.9271	
COUNTY TYPE						
Large Metro	0.2094		0.2228		0.3619	
Small Metro	0.2699		0.7806		0.7726	
250K – 1 Mil. Pop.	0.9013		0.7969		0.9440	
< 250K Pop.	0.0888		0.3904		0.6966	
Nonmetro	0.2582		0.4960		0.1919	
Urbanized	0.4064		0.2696		0.0806	
Less Urbanized	0.5888		0.9789		0.7075	
Completely Rural	0.3937		0.8558		0.8508	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 2.55C Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	822	882	798	811	747	771
GEOGRAPHIC DIVISION						
Northeast	344	394	309	363	292	329
New England	169	184	135	158	121	145
Middle Atlantic	297	348	276	327	263	294
Midwest	304	313	342	326	327	312
East North Central	255	259	275	268	260	256
West North Central	168	174	192	186	188	184
South	534	526	544	487	512	478
South Atlantic	415	400	404	379	386	367
East South Central	212	195	194	198	183	197
West South Central	283	278	270	252	252	249
West	435	480	394	389	369	368
Mountain	184	214	191	184	197	179
Pacific	395	426	345	339	314	315
COUNTY TYPE						
Large Metro	1,447	1,423	715	707	658	644
Small Metro	1,073	1,059	525	476	495	444
250K – 1 Mil. Pop.	878	882	408	377	382	356
< 250K Pop.	637	664	323	312	307	287
Nonmetro	797	701	402	395	367	382
Urbanized	618	447	253	241	235	236
Less Urbanized	577	586	299	301	271	282
Completely Rural	296	240	119	124	100	122

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 2.55D Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2010 and 2011

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	0.42	0.44	0.41	0.41	0.38	0.39
GEOGRAPHIC DIVISION						
Northeast	0.95	1.08	0.85	1.00	0.80	0.90
New England	1.78	1.92	1.41	1.65	1.27	1.50
Middle Atlantic	1.11	1.30	1.03	1.22	0.98	1.09
Midwest	0.71	0.73	0.80	0.76	0.77	0.73
East North Central	0.86	0.87	0.93	0.90	0.88	0.86
West North Central	1.31	1.33	1.49	1.43	1.46	1.41
South	0.75	0.72	0.76	0.66	0.72	0.65
South Atlantic	1.09	1.02	1.06	0.97	1.01	0.94
East South Central	1.82	1.65	1.67	1.67	1.57	1.67
West South Central	1.30	1.24	1.24	1.13	1.16	1.11
West	0.97	1.05	0.88	0.85	0.82	0.81
Mountain	1.34	1.55	1.39	1.33	1.43	1.29
Pacific	1.27	1.34	1.11	1.07	1.01	0.99
COUNTY TYPE						
Large Metro	0.62	0.68	0.59	0.59	0.55	0.54
Small Metro	0.74	0.71	0.73	0.67	0.71	0.65
250K – 1 Mil. Pop.	0.91	0.90	0.84	0.83	0.82	0.81
< 250K Pop.	1.31	1.20	1.37	1.16	1.31	1.12
Nonmetro	0.94	0.94	0.97	0.94	0.91	0.94
Urbanized	1.40	1.55	1.43	1.39	1.38	1.44
Less Urbanized	1.46	1.26	1.46	1.45	1.39	1.39
Completely Rural	2.95	2.27	2.90	2.62	2.44	2.64

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 2.55P Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 26 or Older, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	0.0163		0.0986		0.0771	
GEOGRAPHIC DIVISION						
Northeast	0.0201		0.8424		0.9401	
New England	0.3844		0.8342		0.9006	
Middle Atlantic	0.0279		0.9078		0.8844	
Midwest	0.2996		0.4677		0.7111	
East North Central	0.1063		0.8015		0.7372	
West North Central	0.6432		0.3671		0.2997	
South	0.5112		0.4569		0.3852	
South Atlantic	0.9368		0.4642		0.2770	
East South Central	0.9662		0.7537		0.8568	
West South Central	0.2753		0.8953		0.9520	
West	0.2528		0.0456		0.0288	
Mountain	0.1222		0.3990		0.2756	
Pacific	0.6091		0.0739		0.0612	
COUNTY TYPE						
Large Metro	0.0018		0.0827		0.0479	
Small Metro	0.2066		0.3881		0.3416	
250K – 1 Mil. Pop.	0.1139		0.7007		0.6538	
< 250K Pop.	0.9511		0.3591		0.3261	
Nonmetro	0.1264		0.6918		0.5364	
Urbanized	0.0212		0.6842		0.6005	
Less Urbanized	0.8309		0.6008		0.6582	
Completely Rural	0.6069		0.0789		0.0327	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 2.56C Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Numbers in Thousands, 2010 and 2011

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	852	904	828	853	772	814
GEOGRAPHIC DIVISION						
Northeast	351	406	322	376	302	341
New England	175	193	146	168	133	152
Middle Atlantic	302	357	285	337	269	304
Midwest	314	322	359	341	342	327
East North Central	263	265	288	279	269	268
West North Central	176	178	204	198	200	192
South	549	538	564	509	529	499
South Atlantic	428	407	418	402	401	388
East South Central	217	200	200	205	187	207
West South Central	286	287	284	258	264	254
West	455	498	411	422	384	399
Mountain	187	219	204	192	205	189
Pacific	415	445	357	372	327	345
COUNTY TYPE						
Large Metro	1,513	1,486	763	757	696	689
Small Metro	1,140	1,130	585	534	542	486
250K – 1 Mil. Pop.	921	925	446	415	414	388
< 250K Pop.	685	721	363	358	338	318
Nonmetro	837	746	432	430	395	414
Urbanized	658	478	278	268	260	262
Less Urbanized	613	625	325	327	293	305
Completely Rural	312	267	130	140	111	134

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 2.56D Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: Standard Errors of Percentages, 2010 and 2011

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	0.37	0.39	0.36	0.37	0.34	0.35
GEOGRAPHIC DIVISION						
Northeast	0.83	0.95	0.76	0.88	0.71	0.80
New England	1.57	1.72	1.31	1.50	1.19	1.36
Middle Atlantic	0.97	1.14	0.91	1.07	0.86	0.97
Midwest	0.63	0.64	0.72	0.68	0.68	0.65
East North Central	0.76	0.76	0.83	0.80	0.77	0.77
West North Central	1.16	1.16	1.34	1.29	1.31	1.25
South	0.65	0.63	0.67	0.59	0.63	0.58
South Atlantic	0.96	0.89	0.94	0.88	0.90	0.85
East South Central	1.59	1.45	1.47	1.48	1.37	1.50
West South Central	1.11	1.08	1.10	0.97	1.02	0.96
West	0.86	0.93	0.78	0.78	0.73	0.74
Mountain	1.15	1.34	1.26	1.18	1.26	1.16
Pacific	1.13	1.19	0.97	0.99	0.89	0.92
COUNTY TYPE						
Large Metro	0.55	0.59	0.52	0.52	0.48	0.49
Small Metro	0.65	0.62	0.66	0.61	0.64	0.59
250K – 1 Mil. Pop.	0.81	0.80	0.76	0.76	0.74	0.75
< 250K Pop.	1.13	1.01	1.21	1.01	1.15	0.98
Nonmetro	0.82	0.83	0.86	0.86	0.82	0.86
Urbanized	1.25	1.34	1.28	1.29	1.25	1.30
Less Urbanized	1.27	1.13	1.29	1.31	1.22	1.27
Completely Rural	2.65	2.14	2.66	2.37	2.28	2.36

*Low precision; no estimate reported.

NOTE: Some 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.

Table 2.56P Cigarette Use in Lifetime, Past Year, and Past Month among Persons Aged 18 or Older, by Geographic Characteristics: P Values from Tests of Differences of Percentages, 2011 Versus 2010

Geographic Characteristic	Lifetime (2010)	Lifetime (2011)	Past Year (2010)	Past Year (2011)	Past Month (2010)	Past Month (2011)
TOTAL	0.0074		0.0575		0.0466	
GEOGRAPHIC DIVISION						
Northeast	0.0097		0.9701		0.8184	
New England	0.2648		0.9185		0.8314	
Middle Atlantic	0.0180		0.9230		0.8800	
Midwest	0.1953		0.3615		0.5695	
East North Central	0.0722		0.6363		0.8843	
West North Central	0.7978		0.3538		0.2559	
South	0.4239		0.3328		0.2617	
South Atlantic	0.8692		0.3569		0.1816	
East South Central	0.8054		0.8793		0.9850	
West South Central	0.1675		0.7004		0.8638	
West	0.2723		0.0595		0.0486	
Mountain	0.1300		0.5065		0.4090	
Pacific	0.6233		0.0793		0.0757	
COUNTY TYPE						
Large Metro	0.0011		0.0576		0.0372	
Small Metro	0.2819		0.3276		0.3041	
250K – 1 Mil. Pop.	0.1194		0.6763		0.6135	
< 250K Pop.	0.7074		0.2775		0.2952	
Nonmetro	0.0908		0.7949		0.7148	
Urbanized	0.0161		0.7676		0.7877	
Less Urbanized	0.7962		0.5222		0.5591	
Completely Rural	0.7311		0.0640		0.0245	

*Low precision; no estimate reported.

NOTE: Some 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2011 National Survey on Drug Use and Health: National Findings*).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2010 and 2011.